

Hand Geometry

Introduction

Hand geometry recognition is the longest implemented biometric type, debuting in the market in the late 1980s. The systems are widely implemented for their ease of use, public acceptance, and integration capabilities. One of the shortcomings of the hand geometry characteristic is that it is not highly unique, limiting the applications of the hand geometry system to verification tasks only.

History

Hand geometry systems have the longest implementation history of all biometric modalities. David Sidlauskas developed and patented the hand geometry concept in 1985¹ and the first commercial hand geometry recognition systems became available the next year.² The 1996 Olympic Games implemented hand geometry systems to control and protect physical access to the Olympic Village.² Many companies implement hand geometry systems in parallel with time clocks for time and attendance purposes. Walt Disney World has used a similar "finger" geometry technology system for several years to expedite and facilitate entrance to the park and to identify guests as season ticket holders to prevent season ticket fraud.³

Approach

The devices use a simple concept of measuring and recording the length, width, thickness, and surface area of an individual's hand while guided on a plate (Figure 1). Hand geometry systems use a camera to capture a silhouette image of the hand (Figure 2).



The hand of the subject is placed on the plate, palm down, and guided by five pegs that sense when the hand is in place.

Figure 1: Bottom View.⁴

National Science and Technology Council (NSTC)

Committee on Technology

Committee on Homeland and National Security

Subcommittee on Biometrics





The resulting data capture by a Charge-Coupled Device (CCD) camera of the top view of the hand including example distance measurements.

Figure 2: Silhouette of Hand Image.⁴

The image captures both the top surface of the hand and a side image that is captured using an angled mirror (Figure 3). Upon capture of the silhouette image, 31,000 points are analyzed and 90 measurements are taken; the measurements range from the length of the fingers, to the distance between knuckles, to the height or thickness of the hand and fingers (Figure 4).² This information is stored in nine bytes of data, an extremely low number compared to the storage needs of other biometric systems.²



Figure 3: Hand Including Mirror Image as Seen by the CCD Camera.⁵




Figure 4: Example Distance Measurements.⁵

The enrollment process of a hand geometry system typically requires the capture of three sequential images of the hand, which are evaluated and measured to create a template of the user's characteristics. Upon the submission of a claim, the system recalls the template associated with that identity; the claimant places his/her hand on the plate; and the system captures an image and creates a verification template to compare to the template developed upon enrollment. A similarity score is produced and, based on the threshold of the system, the claim is either accepted or rejected.

United States Government Evaluations

The US government has sponsored two evaluations of hand geometry technology. The 1996 Evaluation of the INSPASS Hand Geometry Data determined the effect of a threshold on system operation⁶, established false accept and false reject rates as a function of the threshold, and presented an estimate of the Receiver Operating Characteristics (ROC) curve for the INSPASS system.⁶ The evaluators noted that an estimate was the best that could be achieved with the available data.⁶ A 1991 Performance Evaluation of Biometric Identification Devices evaluated the relative performance of multiple biometric devices, including hand geometry.⁷

Standards Overview

Standards development efforts focusing on hand geometry technology, on both the national and international levels, are intended to accelerate the development of interoperable authentication-based security solutions. ANSI INCITS 396-2005 Hand Geometry Interchange Format defines the data interchange format for storing, recording, and transmitting hand geometry information collected from the hand silhouette.⁸ It defines both content and format of the data for exchange as well as the units used for the measurement of the hand geometry data.⁸ This national standard corresponds to ISO/IEC CD (Committee Draft) 19794-10 Biometric Interchange Format - Part 10, Hand Geometry Silhouette Data on the international standards level (ISO/IEC).⁹ The international standard is still in draft format and has not yet been approved as an official standard.

Summary

Hand geometry recognition systems are widely used for applications in physical access, attendance tracking, and personal verification. They have found a sustainable market niche through use in security and accountability applications. Their ease of use, stand-alone capabilities, and small data requirements make them a popular choice for those in need of verification systems.



Document References

- ¹ United States Patent and Trademark Office, "Patent 4,736,203: 3D hand profile identification apparatus," 5 April 1988 >.
- ² IR Recognition Systems <<http://recogsys.com/index.shtml>>.
- ³ "Finger Scanning at Disney Parks Causes Concern," 15 July 2005 <<http://www.local6.com/news/4724689/detail.html>>.
- ⁴ "Hand Geometry and Handwriting," GlobalSecurity.org 27 April 2005 <<http://www.globalsecurity.org/security/systems/hand.htm>>.
- ⁵ Arun Ross, Anil Jain, and Sharat Pankanti, "A Hand Geometry-Based Verification System" <http://biometrics.cse.msu.edu/hand_proto.html>.
- ⁶ James Wayman, ed., "National Biometric Test Center Collected Works," San Jose State University, August 2000 <<http://www.engr.sjsu.edu/biometrics/nbtccw.pdf>>.
- ⁷ James Holmes, Larry Wright, and Russell Maxwell, "A Performance Evaluation of Biometric Identification Devices," Sandia National Laboratories, June 1991 <<http://infoserve.sandia.gov/cgi-bin/techlib/access-control.pl/1991/910276.pdf>>.
- ⁸ "Information Technology - Hand Geometry Format for Data Interchange," ANSI INCITS 396-2005 <<http://www.ncits.org/scopes/1643.htm>>.
- ⁹ "Information Technology - Biometric data interchange formats - Part 10: Hand Geometry Silhouette Data," ISO/IEC CD 19794-10 <<http://www.ncits.org>>.

About the National Science and Technology Council

The National Science and Technology Council (NSTC) was established by Executive Order on November 23, 1993. This Cabinet-level Council is the principal means within the executive branch to coordinate science and technology policy across the diverse entities that make up the Federal research and development enterprise. Chaired by the President, the membership of the NSTC is made up of the Vice President, the Director of the Office of Science and Technology Policy, Cabinet Secretaries and Agency Heads with significant science and technology responsibilities, and other White House officials.



Hand Geometry

A primary objective of the NSTC is the establishment of clear national goals for Federal science and technology investments in a broad array of areas spanning virtually all the mission areas of the executive branch. The Council prepares research and development strategies that are coordinated across Federal agencies to form investment packages aimed at accomplishing multiple national goals. The work of the NSTC is organized under four primary committees; Science, Technology, Environment and Natural Resources and Homeland and National Security. Each of these committees oversees a number of sub-committees and interagency working groups focused on different aspects of science and technology and working to coordinate the various agencies across the federal government. Additional information is available at <http://ostp.gov/nstc>.

About the Subcommittee on Biometrics

Biometrics is a technology that is rapidly becoming a useful security, cost-savings and convenience tool for the Federal Government. Although the Federal Government is using the technology for many applications now, further development and assessment is required to improve the technology's utility. To address these issues, the Office of Science & Technology Policy (OSTP) created the NSTC Subcommittee on Biometrics, reporting to the National Science & Technology Council (NSTC) Committees on Technology and Homeland & National Security. Additional information is available at <http://www.biometricscatalog.org/NSTCSubcommittee>.

Subcommittee on Biometrics

Co-chair: Duane Blackburn (OSTP)
Co-chair: Chris Miles (DOJ)
Co-chair: Brad Wing (DHS)
Executive Secretary: Kim Shepard (FBI Contractor)

Department Leads

Mr. Jon Atkins (DOS)	Ms. Zaida Candelario (Treasury)
Dr. Sankar Basu (NSF)	Dr. Joseph Guzman (DoD)
Mr. Duane Blackburn (EOP)	



Hand Geometry

Dr. Martin Herman (DOC)
Ms. Usha Karne (SSA)
Dr. Michael King (IC)
Mr. Chris Miles (DOJ)

Mr. David Temoshok (GSA)
Mr. Brad Wing (DHS)
Mr. Jim Zok (DOT)

Communications ICP Team

Champion: Duane Blackburn (OSTP)

Members & Support Staff:

Mr. Richard Bailey (NSA
Contractor)

Mr. Scott Swann (FBI)

Mr. Jeffrey Dunn (NSA)

Ms. Kimberly Weissman (DHS
US-VISIT)

Ms. Valerie Lively (DHS S&T)

Mr. Brad Wing (DHS US-VISIT)

Mr. John Mayer-Splain (DHS
US-VISIT Contractor)

Mr. David Young (FAA)

Ms. Susan Sexton (FAA)

Mr. Jim Zok (DOT)

Ms. Kim Shepard (FBI
Contractor)

Special Acknowledgements

The Communications ICP Team wishes to thank the following external contributors for their assistance in developing this document:

- Kelly Smith, BRTRC, for performing background research and writing the first draft
- Joseph (Mike) Bone and the Standards ICP Team for reviewing the document and providing numerous helpful comments

Document Source

This document, and others developed by the NSTC Subcommittee on Biometrics, can be found at <http://www.biometriccatalog.org/NSTCSubcommittee>.

