



CRS Report for Congress

Detection of Explosives on Airline Passengers: Recommendation of the 9/11 Commission and Related Issues

Dana A. Shea and Daniel Morgan
Analysts in Science and Technology Policy
Resources, Science, and Industry Division

Summary

The National Commission on Terrorist Attacks Upon the United States, known as the 9/11 Commission, recommended that Congress and the Transportation Security Administration give priority attention to screening airline passengers for explosives. The key issue for Congress is balancing the costs of mandating passenger explosives trace detection against other aviation security needs. Passenger explosives screening technologies have been under development for several years and are now being deployed in selected airports. Their technical capabilities are not fully established, and operational and policy issues have not yet been resolved. Critical factors for implementation in airports include reliability, passenger throughput, and passenger privacy concerns. Presuming the successful development and deployment of this technology, certification standards, operational policy, and screening procedures for federal use will need to be established. This topic continues to be of congressional interest, particularly as the 110th Congress reexamines implementation of the 9/11 Commission's recommendations.

Introduction

In its discussion of strategies for aviation security, the 9/11 Commission recommended that:

The TSA [Transportation Security Administration] and the Congress must give priority attention to improving the ability of screening checkpoints to detect explosives on passengers. As a start, each individual selected for special screening should be screened for explosives.¹

¹ *Final Report of the National Commission on Terrorist Attacks Upon the United States*, July 2004, p. 393.

The Intelligence Reform and Terrorism Prevention Act of 2004 (P.L. 108-458) directs the Department of Homeland Security (DHS) to place high priority on developing and deploying equipment for passenger explosives screening; requires TSA, part of DHS, to submit a strategic plan for deploying such equipment; and authorizes additional research funding. It also requires that passengers who are selected for additional screening be screened for explosives, as an interim measure until all passengers can be screened for explosives. Congressional interest in this topic continues, particularly as the 110th Congress reexamines implementation of the 9/11 Commission's recommendations. For example, H.R. 1, which was passed by the House on January 9, 2007, would establish a Checkpoint Screening Security Fund, paid for with fees on airline passengers, to develop and deploy equipment for explosives detection at screening checkpoints. This report discusses the current state of passenger explosives trace detection, ongoing federal R&D efforts and pilot equipment deployments, and related policy issues.

Current State of Trace Explosives Detection Technology

Explosives detection for aviation security has been an area of federal concern for many years. Much effort has been focused on direct detection of explosive materials in carry-on and checked luggage, but techniques have also been developed to detect and identify residual traces that may indicate a passenger's recent contact with explosive materials. These techniques use separation and detection technologies, such as mass spectrometry, gas chromatography, chemical luminescence, and ion mobility spectrometry, to measure the chemical properties of vapor or particulate matter collected from passengers or their carry-on luggage. Parallel efforts in explosives vapor detection have employed specially trained animals, usually dogs, as detectors.

The effectiveness of chemical trace analysis is highly dependent on three distinct steps: (1) sample collection, (2) sample analysis, and (3) comparison of results with known standards.² If any of these steps is suboptimal, the test may fail to detect explosives that are present. When trace analysis is used for passenger screening, additional goals may include nonintrusive or minimally intrusive sample collection, fast sample analysis and identification, and low cost. While no universal solution has yet been achieved, ion mobility spectrometry is most often used in currently deployed equipment.

Several technologies have been developed and deployed on a test or prototype basis. One approach is to direct passengers through a portal, similar to a large doorframe, that contains detectors able to collect, analyze, and identify explosive residues on the person's body or clothing. The portal may rely on the passenger's own body heat to volatilize traces of explosive material for detection as a vapor, or it may use puffs of air that can dislodge small particles as an aerosol. Alternatively, a handheld vacuum "wand" may be used to collect a sample. In both cases, the collected samples are analyzed chemically. A different approach is to test an object handled by the passenger, such as a boarding pass, for residues transferred from the passenger's hands. In this case, the secondary object is used as the carrier between the passenger and the analyzing equipment.

² National Research Council, *Configuration Management and Performance Verification of Explosives-Detection Systems*, 1998.

The olfactory ability of dogs is sensitive enough to detect trace amounts of many compounds, but several factors have inhibited the regular use of canines as passenger explosives trace detectors. Dogs trained in explosives detection can generally only work for brief periods, have significant upkeep costs, are unable to communicate the identity of the detected explosives residue, and require a human handler when performing their detection role.³ In addition, direct contact between dogs and airline passengers raises liability concerns.

Detection of Bulk Explosives. Direct detection of explosives concealed on passengers in bulk quantities has been another area of federal interest. Federal and industry efforts in this area include the development of portal systems utilizing techniques such as x-ray backscatter imaging, millimeter wave energy analysis, and terahertz imaging. As such systems detect only bulk quantities of explosives, they would not raise “nuisance alarms” on passengers who have recently handled explosives for innocuous reasons. Some versions could simultaneously detect other threats, such as nonmetallic weapons. On the other hand, trace detection techniques would likely also detect bulk quantities of explosives, and may alert screening personnel to security concerns about a passenger who has had contact with explosives but is not actually carrying an explosive device when screened. Most current research efforts are focused on trace detection, and the remainder of this report does not discuss bulk detection. However, many of the policy issues discussed below would apply similarly to bulk detection equipment.

Federal R&D Activities and Deployed Equipment

Federal agencies that have funded research related to trace explosives detection include DHS, the Federal Aviation Administration (prior to the creation of DHS), the Department of Energy, the Department of Justice, the National Institute for Standards and Technology, and the interagency Technical Support Working Group. Explosives trace detection portals have been considered as potential solutions to other homeland security needs, such as securing federal buildings and monuments. Much of this research has been dedicated to overcoming technical challenges, such as increasing sensitivity and reducing the time required for sample analysis.

The DHS is the main funder of research on explosives detection for airport use. Historically, most of this research has focused on detecting explosives in baggage rather than testing passengers. Some of the underlying technology for passenger explosives trace detection was developed at Department of Energy national laboratories. Commercial equipment vendors using such technology under license have incorporated research performed at Los Alamos National Laboratory and Oak Ridge National Laboratory into equipment currently being procured by TSA for airport use.

TSA deployed portal equipment for operational testing and evaluation through pilot projects beginning in 2004. Since then, TSA has reportedly deployed 93 detection portals in 36 airports.⁴ Deployments in additional airports are ongoing. The TSA has also implemented pilot projects for operational testing and evaluation of document scanners

³ National Institute of Justice, *Guide for the Selection of Commercial Explosives Detection Systems for Law Enforcement Applications*, NIJ Guide 100-99, September, 1999, p. 36.

⁴ Jon Hilkevitch, “Midway Gets an Extra Blast of Security,” *Chicago Tribune*, August 7, 2006.

that detect traces of explosives on boarding passes.⁵ In December 2006, TSA began a pilot project to test x-ray backscatter imaging in airports.⁶

DHS is also evaluating technologies to detect liquid explosives, especially since August 2006, when British police disrupted a plot to bomb aircraft using liquids.⁷ This effort is mainly focused on bulk detection, such as scanners to test the contents of bottles. Like solid explosives, liquids might also be found through trace detection, if the trace detection system is designed to look for them.

Policy Issues

Operational challenges for trace detection include passenger throughput, erroneous and innocuous detections, detection of novel explosives, and the potential for intentional disruption of the screening process. The need for technical and regulatory standards and future cost implications are also of congressional interest. For security reasons, many technical details of equipment performance are not publicly available, which makes independent analysis of technical performance challenging.

Impact on Screening Time. When multiplied by the large number of airline passengers each day, even small increases in screening times may become logistically prohibitive. The TSA goal for passenger wait time at airports is less than 10 minutes, and screening systems reportedly operate at a rate between 7 to 10 passengers per minute;⁸ additional screening that slows passenger throughput and increases passenger wait time may add to airport congestion and have a detrimental economic impact. A 1996 General Accounting Office (GAO) study of explosives detection equipment for airline security states that throughput goals for portal technologies at that time were equivalent to 6 passengers per minute.⁹ According to the same study, non-portal technologies, such as secondary object analysis, had slightly higher throughput goals.

⁵ Asa Hutchinson, Under Secretary for Border and Transportation Security, Department of Homeland Security, testimony before the Senate Committee on Commerce, Science, and Transportation, August 16, 2004, and “Knoxville Airport to Test Oak Ridge Explosives Sniffer,” *USA Today*, July 21, 2004.

⁶ Matthew M. Johnson, “TSA to Begin ‘See-Through’ Scanning Technology Pilot Program at Phoenix Airport,” *CQ Homeland Security*, December 5, 2006.

⁷ Jay Cohen, Under Secretary for Science and Technology, Department of Homeland Security, testimony before the House Committee on Homeland Security, Subcommittee on Emergency Preparedness, Science, and Technology, September 7, 2006, and Clifford A. Wilke, Assistant Administrator and Chief Technology Officer, Transportation Security Administration, Department of Homeland Security, testimony before the House Committee on Homeland Security, Subcommittee on Economic Security, Infrastructure Protection, and Cybersecurity, July 19, 2005.

⁸ General Accounting Office, *National Preparedness: Technologies to Secure Federal Buildings*, GAO-02-687T, April 25, 2002, and John E. Parmeter, David W. Hannum, Kevin L. Linker, and Charles L. Rhykerd, Jr., *Overview of Explosives Detection Research and Development in Department 5848 at Sandia National Laboratories*, 16th Annual NDIA Security Technology Symposium & Exhibition, June 26-29, 2000.

⁹ General Accounting Office, *Terrorism and Drug Trafficking: Technologies for Detecting Explosives and Narcotics*, GAO/NSIAD/RCED-96-252, September 1996.

The TSA's pilot deployment of passenger explosives trace detection equipment will likely shed light on the question of passenger throughput. If no appreciable increase in screening times occurs, then passenger explosives screening would seemingly involve few additional direct economic costs beyond the costs of procuring, deploying, operating, and maintaining the equipment. If passenger throughput is drastically decreased, then alternatives for passenger screening may need to be considered. In between these extremes, it may be possible to moderate the economic impact by adding screening lanes or by using explosives detection equipment only on those passengers who are selected for secondary screening, as recommended by the 9/11 Commission as a possible initial step.

Erroneous and Innocuous Detection. A potential complication of explosives trace detection is the accuracy of detector performance. False positives, false negatives, and innocuous true positives are all challenges. If the detection system often detects the presence of an explosive when there actually is none (a false positive) then there will be a high burden in verifying results through additional procedures. Because of the large volume of air passengers, even small false positive rates may be unacceptable. Conversely, if the system fails to detect the presence of an explosive (a false negative) then the potential consequences may be serious. Assuming the system has adequate sensitivity to detect explosives traces in an operational environment, the detection threshold or criteria required for an alarm can generally be adjusted, enabling a tradeoff between false positives and false negatives, but neither can be eliminated entirely; the appropriate balance may be a matter of debate.

Innocuous true positives occur when a passenger has been in contact with explosives, but for legitimate reasons. Examples include individuals who take nitroglycerin for medical purposes or individuals in the mining or construction industry who use explosives in their work. Such passengers would be regularly subject to additional security scrutiny. Similar issues arise from the current use of trace detection equipment on some airline passenger carry-on baggage, and innocuous true positives in such cases are generally handled without incident. The impact of innocuous true positives will likely depend on their frequency and on the proportion of passengers subject to explosives trace detection.

Passenger Acceptance. Some passengers may have personal concerns about the addition of passenger explosives trace detection to the screening process. Issues of privacy may be raised by the connection between innocuous true positives and passenger medical status or field of employment. Also, equipment that uses a vacuum "wand" or puffs of air for sample collection may offend some passengers' sense of propriety or modesty. Passenger reluctance could then increase screening times. Allowing alternative forms of screening, such as within privacy enclosures or through different imaging technology, might mitigate passenger concerns in some cases.

Detection of Novel Explosives. Explosives detectors are generally designed to detect specific explosives, both to limit the number of false positives and so that a determination can be made regarding the identity of the explosive detected. As a result, novel explosive materials will probably not be detected by these systems. Only after identifying characteristics and reference standards are developed for the novel explosives will detection and identification become practical. Unlike detection of bulk quantities of explosives, where human intervention may identify a suspicious device, trace analysis provides no comparable detection through operator experience or intuition. While too narrow a detection window may exclude novel or binary explosives and therefore increase

risk,¹⁰ too wide a detection window, in an attempt to detect all possible explosives, will likely increase the rate of false positives and innocuous true positives. Such results would limit passenger throughput and increasing the potential for negative economic impact.

Potential for Intentional Disruption. Another concern is the possibility that a passenger screening regimen that includes explosives trace detection could be exploited to intentionally disrupt the operation of an airport. The dissemination of trace quantities of an explosive material on commonly touched objects within the airport might lead to many positive detections on passengers. This would make trace detection less effective or ineffective for security screening, and might disrupt airport operations generally until alternative screening procedures, such as enhanced baggage screening by TSA personnel, could be put in place or the contamination source could be identified and eliminated.

Standards, Certification, Regulation, and the Establishment of Screening Procedures. Standards for the performance of passenger explosives trace detection equipment, procedures for evaluation and certification of the equipment, and regulations for its use are all yet to be established. Regulations and screening procedures have been established for explosives trace detection on luggage.¹¹ Detection on passengers is a more complicated venture, involving possible privacy concerns, greater difficulty in sampling, and potentially different sensitivity requirements. Nevertheless, the current luggage regulations could be a model for future certification criteria for passenger screening. Procedures will also need to be established for the use of the equipment, such as how an operator should resolve detector alarms to distinguish genuine security threats from false positives and innocuous true positives.

Cost of Operation. The total cost of deploying explosives detection equipment for passenger screening is unknown. According to TSA, the portal systems currently being deployed in U.S. airports cost more than \$160,000 each.¹² Document scanning systems are somewhat less expensive; according to the 2002 GAO study, similar tabletop systems used for screening carry-on baggage can cost from \$20,000 to \$65,000. It is possible that technology improvements or bulk purchasing could lower costs. The number of devices required would depend on throughput rates, device reliability and lifetime, and deployment strategy. The United States has more than 400 commercial passenger airports; several thousand devices might be required, corresponding to a total capital cost for equipment of up to hundreds of millions of dollars. Installation and maintenance costs would be additional. Operating the equipment would require additional screening procedures and might lead to costs for additional screening personnel, or else create indirect costs by increasing passenger wait times. It is unknown whether the personnel limit for TSA screeners, currently set at 45,000 full time equivalent screeners nationwide (P.L. 108-90), could accommodate the potential additional staffing requirements.

¹⁰ Binary explosives are mixtures of two substances that are not explosive separately but become so when mixed.

¹¹ 67 *Fed. Reg.* 48506-48509.

¹² Transportation Security Administration press release, "Trace Portal Machines Deployed to Pittsburgh Airport," October 13, 2005.